Navigation

Quick Start with DBSync Replication

This quickstart shows you how to get started by creating a profile under source applications and how to replicate the data with the help of DBSync from source applications to different databases.

Log in to the DBSync replication portal

Sign in to the DBSync Replication portal.

Fill the configuration details in global settings

Start DBSync Replication console to configure the proxy settings under the global settings option on the home page.

Follow these steps to configure a proxy global settings in DBSync replication portal.

- 1. Once, you have logged in then click to "main menu" in the right hand top corner on the home page of DBSync replication portal.
- Next, enter the required proxy credentials in different text boxes like proxy host, port, username and password under the global settings section.
- 3. Click on save changes button to save a global settings details.

My Account 👻	DBSync Cloud Replication & CDM	🕲 Wiki 🕞 Log out 🗮
希 Home	Global Settings	
¢¢ Settings		
	Global Settings	
	Proxy Host	
	Proxy Port	
	Proxy UserName	
	Proxy Password	
		Cancel Save changes

Create a source application profile

Source application profile Includes Salesforce and Microsoft CRM. The source app profile is created within DBSync Replication platform.

Follow these steps to create a profile under source application like Salesforce and Microsoft CRM.

- 1. Click to "add profile" in the right hand-corner of the profiles section of DBSync replication portal.
- 2. Select, the required source name application from the drop down menu under the product header.
- 3. Next, enter the name of the profile like "testprofile" under the name section.
- 4. Click on save changes button to create a new replication profile.

	Add Profile	×		Add Profile	×
Product	Salesforce +		Product	🕌 — MSCRM	•
Name	testprofile		Name	testprofile	
	Close	e Save changes			Close Save changes

Source application setup details

Start with source application setup details includes Salesforce and Microsoft CRM.

The source setup applications details required to configure your Salesforce and Microsoft CRM credentials like "username" and "password".

Follow these steps to configure your source application like Salesforce and Microsoft CRM.

- 1. Click to "Salesforce and Microsoft CRM" setup tab on the left hand corner in the profiles section of DBSync Replication portal.
- 2. Don't change the "environment and soap end details", all these details are pre-filled.
- 3. Next, enter the "username" and "password" credential for Salesforce and Microsoft CRM.

My Account +	■ DBSync Cloud Re		⊘ Wiki 🕞 Log out 📰	
# Home	Salesforce Details			
,	Environment	Production/Development		*
Salesforce Setup	Soap Endpoint	https://login.salesforce.com/services/Soap/u/42.0		
Database Setup Advanced Settings	User Name	User Name		
)32) Objects	Password	Password	OR	% Connect to Salesforce (OAuth)
인 Export O Schedule Jobs	Use Bulk API			
🕒 Logs				
				Test connection Save Next
	DBSync Cloud Re	plication & CDM		③ Wiki 🕑 Log out 📼
My Account +				
# Home	MSCRM Details			
🗲 Profile	Soap Endpoint	Soap Endpoint		
MSCRM Setup	User Name	User Name		
Database Setup Advanced Settings	Password	Password		
团 Objects				
伦 Export ① Schedule Jobs				Test connection Save Next
🖻 Logs				


4. "OR", "Other option for salesforce" click on connect to Salesforce (OAUTH) to enter Salesforce login credentials like "username" and "password" to connect the salesforce application.

	DBSync Cloud Replication & CDM	► Login Salesforce - Google Chrome — □ X	🕘 🕐 Wiki 🕞 Log out 📰
My Account 👻	—	https://login.salesforce.com/?startURL=%2Fsetup%	
希 Home	Salesforce Details	salesforce	
🗲 Profile	Environment Production/Developm		•
Salesforce Setup Database Setup	Soap Endpoint https://login.salesforc	e.com	
Advanced Settings	User Name User Name	Username 6 Saved Usernames	
] 図 Objects 42 Export	Password Password		S Connect to Salesforce (OAuth)
 Snapshots Schedule Jobs 	Use Bulk API	Password	
Logs		Log In	
		Remember me	Test connection Save Next
		Forgot Your Password? Use Custom Domain	

5. Click on test connection button to validate your source application login details.



6. Click on save button to save your source apps login details.



7. Once completed, click on next button to proceed to database setup tab.

Configure database setup details

Start with database setup tab, to fill all the necessary details and follow the same procedure for testing and validating your database credentials.

Follow these steps to configure your database credentials with different databases like *MySQL*, *SQL Server*, *Oracle*, *DB2*, *PostgreSQL*, *Cassandra*, *Redshift*, *Sybase and MongoDB*.

- 1. Click to "database" setup tab on the left hand corner in the profiles section of DBSync replication portal.
- Select, the required "type name" from the drop down menu options like "MySQL, SQL Server, Oracle, DB2, PostgreSQL, Cassandra, Redshift, Sybase and MongoDB" under the "database setup" section.

My Account 🗸	DBSync Cloud Re	eplication & CDM			🏾 Wiki 🗭	🕨 Log out 🛛 📰
# Home	Database Details					
🗲 Profile	Туре	SQLServer 🔻				
Salesforce Setup Database Setup	Host	SQLServer Oracle DB2	Port	Port		
Advanced Settings	User Name	MySql PostgreSQL				
Di Objects	Password	Cassandra Redshift				
션 Export ② Schedule Jobs	Database	Sybase Mongo	Schema	dbo		
🖻 Logs	URL	jdbc:sqlserver://:;database=				
	Enable SSL					
	Advanced Settings for	File Download				
					Test Connection	Save Next
		File Download			Test Connection	Save Ne

(Note: The database URL can also be entered manually if you know your database Connection string.)

- 3. To start with database credentials user has to entered all the configuration details like host, port, username, password, database name and schema.
- 4. Once, all the details enter by the user then URL details will get autofilled.
- 5. Click on test Connection button to validate your source application login details.
- 6. Click on save button to save your source apps login details.
- 7. Once completed, click on next button to proceed to advanced settings tab to get the email Id to get the notifications.

Advanced settings tab details

Start with *advanced settings tab*, to fill all the necessary details and follow the same procedure for testing and validating Advanced settings credentials.

Follow these steps to configure your Advanced settings credentials.

- 1. Click to "advanced" settings tab on the left hand corner in the Profiles section of DBSync replication portal.
- 2. Mark the checkbox to "enable database logging" to create auto created table in the database.
- 3. Next, Mark the checkbox of "email only on error" to get an email message when error will occur.
- 4. Enter an email for "email recipient" to get the notification when any run command is executed.
- 5. Click on save button to save your advanced settings details.
- 6. Once the process is completed then click on save and next button to proceed further.

My Account 👻	DBSync Cloud Replication &	CDM	⑦ Wiki	🕒 Log out	
番 Home	Advanced Settings				
🗲 Profile	Notifications				
Salesforce Setup	Enable Database Logging	SFLOG_C table will be auto created in the database			
🛢 Database Setup	Email Only on Error	An email message will be sent only if an error occurs			
Advanced Settings	Email Recipients	Email Recipients			
🔁 Objects					
쉽 Export					
O Schedule Jobs					
🖻 Logs	Advanced				
	Process only non-replicatable objects	These are Salesforce.com objects that cannot have bi-directional sync and require complete data replication i	nstead of incre	mental replicatio	n.
			Cance	el Save N	lext

Source application objects tab


Start with Source Application Objects tab, to get synced all the objects when user will get connected to different source applications like Salesforce and Microsoft CRM.

Follow these steps to synced all objects for source application like Salesforce and Microsoft CRM.

- 1. Click to "objects" tab on the left hand corner in the Profiles section of DBSync replication portal.
- 2. Once, user has connected to source applications like Salesforce and Microsoft CRM then objects will get synced and it will show on the objects tab.
- 3. Select any "source apps objects" you want to sync into database from the left objects section as shown below.

A				
■ AVSFQB_Invoices_Chang	Available Fields	Count 90	Excluded Fields	Coun
■ AVSFQB_Invoices_c	AccountNumber - < VARCHAR >			
■ AcceptedEventRelation	AccountSource - < VARCHAR >			
🕮 Account	Active_c - < VARCHAR >			
■ AccountChangeEvent	AnnualRevenue - < DECIMAL >		>	
I AccountCleanInfo	AVSFQB_Billing_Address_c - < CLOB >			
AccountContactRole	AVSFQB_Billing_City_c - < VARCHAR >		<	
I AccountFeed	AVSFQB_Billing_Country_c - < VARCHAR : AVSFQB_Billing_State_c - < VARCHAR >	,		
⊞ AccountHistory	AVSFQB_Billing_Zip_c - < VARCHAR >		»	
I AccountPartner	AVSFQB_Credit_Limit_c - < VARCHAR >			
AccountShare	AVSFQB_Email_c - < VARCHAR >		«	
ActionLinkGroupTemplate	AVSFQB_Fax_c - < VARCHAR >			
ActionLinkTemplate	AVSFQB_First_Name_c - < VARCHAR > AVSFQB_Last_Name_c - < VARCHAR >			
I ActivityHistory	AVSFQBLast_Namec = < VARCHARZ			
AdditionalNumber	AVSFOR Phone c - < VARCHAR >	•		
⊞ AggregateResult				
I Announcement				
I ApexClass	Filter Criteria			P
I ApexComponent	Type = ' Customer ' and AccountNumber !=	1567		
ApexEmailNotification	Type - customer and Accountivumber -	4507		

4. Select the object fields you want to sync into database from the "available Fields" section and use "exclude fields" section to filter out fields you don't want to sync into database.



5. Once completed, click on the "run button" to Run the configuration for the source apps object.

/ly Account 🗸							
ł Home	Objects	1 selected	Object/Table Account				Ru
۶ Profile	□	entRelation	Available Fields	Count 63		Excluded Fields	Update Schema
Salesforce Setup	AccountCha	0	AccountNumber - < VARCHAR > AccountSource - < VARCHAR >	^			Clean Copy SOURCE to DB
🛢 Database Setup	AccountClea		Active_c - < VARCHAR > AnnualRevenue - < DECIMAL >	- 1	>		DB to SOURCE
Advanced Settings	AccountFee	d	BillingCity - < VARCHAR > BillingCountry - < VARCHAR >				
📴 Objects	AccountHist		BillingGeocodeAccuracy - < VARCHAR >		<		
එ Export	AccountPart		BillingLatitude - < DECIMAL > BillingLongitude - < DECIMAL >		>>		
Snapshots	📃 🎟 ActionLinkG	roupTemplate	BillingPostalCode - < VARCHAR >				
② Schedule Jobs	ActionLinkT		BillingState - < VARCHAR > BillingStreet - < CLOB >		*		
Logs	ActivityHisto	-	CleanStatus - < VARCHAR > CreatedById - < VARCHAR >				
	AggregateRe		CreatedDate - < TIMESTAMP > CustomerPriority_C - < VARCHAR >	-			
	Announcem	ient					
	📄 🎟 ApexCompo		Filter Criteria				Prev
	ApexLog	ouncation					

6. Run menu to select the required commands like update database schema, source apps to database (Clean Copy), source apps to database (Incremental) to execute.

As per the above commands here user has to select the Clean copy and Source to Database command to replicate all the sync objects to their database.

7. Once user has selected and "Run" the Command, then it will redirect to user on the log screen tab to see the status of command is completed or not.

Below section explains the steps involved in source apps to database replication.

Run Process	Actions Performed
Update database schema	Creates source apps schema into database for the selected source apps objects.
Source apps to d atabase (CI ean Copy)	Inserts a clean copy of selected source apps object records into respective database tables & columns.
Source apps to d atabase (In cremental)	Performs an incremental sync from source apps to database based on the changes / edits made in source.

Configure schedule jobs tab

Start with Scheduler Jobs tab, here users can schedule the sync using Scheduler Tab.

Follow these steps to schedule the sync using Scheduler tab with scheduler functionality like run commands options, Date, Month and year format settings and repeat Drop-down menu details to set the desired duration to sync the selected objects.

- 1. Click to "scheduler jobs" tab on the left hand corner in the Profiles section of DBSync replication portal.
- 2. Once, user has connected to source applications like Salesforce and Microsoft CRM then objects will get synced and user can directly sel ect the required process from the command drop-down and configure the frequency of the sync by selecting a desired duration from the *Repeat drop-down menu.*
- Next, "start on" option to select the date, month and year from the drop-down menu to get the objects synced for particular Date and Month format.
- 4. Create a task in the "task section" with all the details including task name, action, command and start, date and time.
- 5. Once the process is completed then click on save button to proceed further.

My Account 👻	DBSyn	nc Cloud Replication 8	CDM		③ Wiki	🕞 Log out 🛛 📰
# Home	Schedule Job	05				
🗲 Profile	Command	Update Schema	• Starts On	≅ 12/12/2018	O 05:10	
 ▲ Salesforce Setup ■ Database Setup ♦ Advanced Settings ⊠ Objects 	Repeat	No Repeat	v			Save Cancel
션 Export O Schedule Jobs 를 Logs	Tasks Task Name	Repeat	Start Date Time	Next Fire Date Time	Command	Actions
		Repear	Start Date Hille	Next Fire Date fille	conmanu	Actions