

# Switching off Logs in DBSync

## Switching Off Logs

1. Login to [www.mydbsync.com](http://www.mydbsync.com). Click on **Customer Center**. Enter the registered credentials to sign-in. Click on **Launch** to access DBSync Ipaas workflow landing screen.
2. Click on the Projects from the Navigation Menu available on left side of the page. This will redirect the user to the Project listing page.
3. Click "Edit" on any Project. This will redirect the user to the Process listing page.
4. From the "Properties" section, the user has an option to regulate the log levels as shown in the screen shot below:

## Deleting Catalina Logs of DBSync in Windows

1. Close DBSync if you are using it as an Application.
2. If you are running it as a service then, Go to **Start > Control Panel > Administrative Service > Services** and stop the service "Apache Tomcat DBSync".
3. Go to <<DBSync install folder>>/logs.
4. The best practice is to **take a backup** all the files in this folder and **then delete** all the files.

## Deleting Catalina Logs Of DBSync in Linux

- Close DBSync if you are using it as an Application.
- If you are running it as a service Go to <<DBSync Install folder>>/bin and run the command: `catalina.sh stop`.
- Go to <<DBSync install folder>>/logs.
- The best practice is to **take a backup** of `catalina.out` file and **then delete** all the files.