


Windows Zip Installation

- Get the DBSync Replication zip folder from the following URL
<http://mydbsync.com/integration/cloud-replication-for-salesforce>
- Once the zip file is downloaded to the desired location on your Windows Machine, Navigate to the designated folder and **Extract/Unzip** it to the desired location.



- Change the **JRE_HOME** variable in catalina.bat file located at <InstallDir>/apache-tomcat-8.5.11/bin folder to the path where JRE is located. If you do not have JRE installed, Download it from (we recommend using only Oracle JRE) <http://www.oracle.com/technetwork/java/javase/downloads/jre8-downloads-2133155.html>

```
setlocal

set JRE_HOME=C:\Program Files\Java\jre1.8.0_141

rem Suppress Terminate batch job on CTRL+C
if not "%1" == "run" goto mainEntry
if "%TEMP%" == "" goto mainEntry
if exist "%TEMP%\%~nx0.run" goto mainEntry
echo Y>"%TEMP%\%~nx0.run"
if not exist "%TEMP%\%~nx0.run" goto mainEntry
echo Y>"%TEMP%\%~nx0.Y"
call "%~f0" %* <"%TEMP%\%~nx0.Y"
rem Use provided errorlevel
set RETVAL=%ERRORLEVEL%
del /Q "%TEMP%\%~nx0.Y" >NUL 2>&1
exit /B %RETVAL%
:mainEntry
del /Q "%TEMP%\%~nx0.run" >NUL 2>&1
```

- Change the **JAVA_HOME** variable in run.bat file located at <InstallDir>/apache-tomcat-8.5.11/scripts folder to the path where JRE is located.

```

call "setenv.bat"

set CONFIG_DIR=%SYNCH_HOME%/dbsync-repl/WEB-INF/db/conf

set JAVA_HOME=C:\Program Files\Java\jre1.8.0_141


set CR=%SYNCH_HOME%\dbsync-repl\WEB-INF\lib

;%SYNCH_HOME%\WEB-INF\classes;


set CLASSPATH=.;%CR%\aws-java-sdk-core-1.9.0.jar;%CR%\aws-java-s

```

- At this point the DBSync Cloud Replication tool is successfully installed on your Windows machine. You can start the DBSync Cloud Replication tool by navigating to the **bin** folder and executing **startup.bat** script.



- To access DBSync Cloud Replication console, Paste the <http://localhost:8080/dbsync/> URL in your browser address bar and you will be presented with the DBSync Cloud Replication Home page.



- Running the application under batch mode:
 - Go to <install folder>/dbsync/scripts. Make sure that setenv.bat points to your install directory.
 - For Sync schema Run – run <profile name> db_setup
Example: run dbsync db_setup
 - For getting a clean copy Run – run <profile name> cleancopy

Example: run dbsync cleancopy

- d. For moving data from [Salesforce.com](#) to database Run – run <profile name> sf_to_db
Example: run dbsync sf_to_db
- e. For moving data from database to [Salesforce.com](#) Run – run <profile name> db_to_sf
Example: run dbsync db_to_sf